

# LED Pilot Light Ø 16.5 plastic construction



### **General Characteristics:**

This range of LED Monoblock Pilot Light  $\varnothing$  16.5 is available in round & square head in a variety of colours. This Pilot Light can be fixed in any position on panels of thickness varying from 1 mm to 6 mm. The pilot light is fastened to the panel with a lock ring. We recommend min fixing centres of 25 mm x 25 mm.

Pilot lights are available with integral LED's suitable for operating at various voltages, namely 6 V, 12 V, 24 V, 30 V, 48 V, 63 V, 110 V, 125 V & 240 V AC / DC.

#### **Electrical and mechanical characteristics**

### A) Mechanical Characteristics


Applicable Standard	UL 508
	IEC 60947-5-1
	CSA 22.2
Degree Of Protection	IP 65 (as per IEC 60529) Dust & water tight
Operating Conditions	+ 70° C to -25° C
Contact Material	Brass (tin plated)
Corrosion Protection	All metallic parts are electroplated for
	corrosion protection
Terminal Torque	0.5 Nm
Viewing Angle	More than 100°
Optical Axial intensity	More than 100 mcd for all colors

## **B) Electrical Characteristics**

Rating	Rated 6 VAC / DC, 12 VAC	C / DC, 24 AC / DC, 110 AC, 110 DC, 240 AC & 220 DC
Terminal Capacity	Rigid	Flexible
	2 X 0.75 mm² (max)	1 X 0.75 mm² (max)
	1 X 0.5 mm² (min)	1 X 0.5 mm <sup>2</sup> (min)
	1 X 1.5 mm² (min)	2 X 0.5 mm² (mix)
Dielectric Test	2.5 KV	
Rated Insulation Voltage	500 VDC	
Polarity Protection	Nil	
Low Voltage Protection	20% of Rated Voltage	
Current Consumption	Max. 20 mA for AC Circuits	3
	Max. 15 mA for DC Circuits	3



## 16.5 Ø - PILOT LIGHTS WITH INTEGRAL LED



#### **SPECIFIC VOLTAGE**

SPECIFI										
VOLTAGE	COLOUR	ORDERING CODE	COLOUR	ORDERING CODE	COLOUR	ORDERING CODE	COLOUR	ORDERING CODE	COLOUR	ORDERING CODE
12 AC/DC	0	6PLBR1L (S)12		6PLBR3L12		6PLBR4L12		6PLBR5L12	0	6PLBR6L12
				Translucent Lens /	Translucent Lens / White LED Transparent Lens / White LED					
							Ť			
24 AC/DC	0	6PLBR1L (S)24		6PLBR3L24		6PLBR4L24	0	6PLBR5L24		6PLBR6L24
24 AC/DC	0	6PLBR7L(S)24	0	6PLBR8L24	Translucent Lens / White LED Transparent Lens / White L				s / White LED	
440.40	0	6PLBR1L(S)110AC		6PLBR3L110AC		6PLBR4L110AC		6PLBR5L110AC		6PLBR6L110AC
110 AC	0	6PLBR7L(S)110AC	0	6PLBR8L110AC	0	Translucent Lens /	White LED	Trans	parent Ler	s / White LED
240.40	0	6PLBR1L(S)240AC		6PLBR3L240AC		6PLBR4L240AC		6PLBR5L240AC	0	6PLBR6L240AC
240 AC	0	6PLBR7L(S)240AC	0	6PLBR8L240AC	0	Translucent Lens /	White LED	) Trans	parent Ler	s / White LED

Note: Other voltages namely 6 V, 30 V, 48 V available on request



# MRP w.e.f. 10.07.2024 Control & Signalling Devices 16.5 Ø

# PLASTIC SERIES

	Туре	Colour of LED / Lens	ORDERING CODE	Price in Rs. with Int. LED
	Integral LED	White LED / White Lens	6PLBR1L(S)	310.00
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	6PLBR3L	135.00
	110VAC, 230VAC	Red LED / Red Lens	6PLBR4L	135.00
39588		Amber LED / Amber Lens	6PLBR5L	135.00
CAMPAGE TO THE TAME OF THE TAM		Blue LED / Blue Lens	6PLBR6L	390.00
1619		White LED / Clear Lens	6PLBR7L(S)	310.00
1		Yellow LED / Yellow Lens	6PLBR8L	135.00

#### **GENERAL TERMS AND CONDITIONS**

General Terms: Prices are ex-works Mumbai

GST : 18%

Prices are subject to revision without notice and ruling at the time of delivery.

This price list supersedes all previous Price Lists.

Warranty Policy: TEKNIC equipment is guaranteed under the following terms:

For a period of 12 months from the date of sale, TEKNIC guarantees that its products are free from defects in material and workmanship, with the exception of consumables rendered unserviceable through normal use. During the said period, TEKNIC will replace or repair all parts acknowledged as defective due to factory workmanship and which have been returned in a timely manner by Buyer to TEKNIC and all costs and duties paid, together with a detailed description of the failure and a certified declaration of the number of hours of operation. Repaired or replaced parts will be redelivered FCA (named place) as per INCOTERMS 2000. This warranty is subject to the provision of correct usage, proper maintenance and does not cover defects arising out of fire, faulty operation, accident, inefficient maintenance and willful or accidental damage.

TEKNIC guarantee applies to all equipment, parts and components stored, installed, protected, maintained and used in accordance with TEKNIC specifications and instructions, and respecting the rules for normal use, without any modification by Buyer.

All other conditions or warranties, whether express or implied, relating to the quality and operation of the equipment are excluded, as well as any liability for loss or damage caused directly or indirectly by the equipment or resulting from its use.

Proof of purchase to be provided to avail warranty.

#### **TEKNIC ELECTRIC (I) PVT. LTD.**